# Electrical Products & Accessories

## 2017 Catalog - 3rd Edition

# CONTACT US

## North America Sales

**Luceco Inc**
Tel. +1 281 978-2509
Email: us_sales@luceco.com

11050 W Little York Rd
Building C-1
Houston, TX 77041

## Head Office

**Luceco Ltd.**
Email: uk_sales@luceco.uk

Caparo House,
103 Baker St, London,
United Kingdom, W1U 6LN

**Technical Support**
Tel: +1 800 645-6460
Email: usatechnicalsupport@luceco.com

# CONTENTS

# About Masterplug

Masterplug is one of the most recognizable brands in the world and has been at the forefront of Portable Power for many decades.

With over 50 years of sales, distribution and manufacturing expertise, we fully understand our customers' requirements and as such can offer tailor made solutions to our retail partners. These solutions combine high-quality market-leading products with low cost production to ensure our products not only meet the current market trends but exceed our consumer's expectations.

The benefits of buying our products include:

**QUALITY ASSURANCE**
Our US products have either cUL or cETL certification to ensure they are manufactured to the highest possible quality standards. Combine this with our corporate social responsibility and this will bring security and peace of mind that you are purchasing from one of the worlds leading manufacturers.

**COMPLIANCE TESTING**
Our on-site ISO9001 certified laboratory ensures that all of our products are manufactured to the relevant internationally recognized quality standards including cUL, cETL and RoHS. Ongoing mass production testing and pre-shipment inspections ensure our products leave our facilities in the best possible condition.

**PRODUCT DEVELOPMENT**
Analysis of market trends combined with our global design teams gives us a unique position from where to drive our product categories. In-house production engineering, rapid tool making and on-site prototyping delivers timely and continuous product development and improvements to the market.

**COST CONTROL**
One of our key focuses is the ongoing control of costs. In house value engineers and experienced procurement teams constantly focus on driving down third party costs combined with in house manufacturing of raw materials enables us to remain competitive and to delver realistically priced products to our retail

**LOGISTICS**
Our flexibility in production and raw material stockholding improves the manufacturing and delivery lead times to our partners. We have very flexible supply routes and can ship direct from our 100% wholly owned factory in china, or from our various global warehouses.

## Ethical Policy

Masterplug has an overriding obligation to the welfare of workers within its own manufacturing facility and supply chain.

Masterplug uses the Ethical Trading Initiative (ETI) Base Code as its standard for its own manufacturing operation and all primary suppliers across all our businesses.

The code states:

- Employment is freely chosen
- Freedom of association and the right to collective bargaining are respected
- Working conditions are safe and hygienic
- Child labor shall not be used
- Living wages are paid
- Working hours are not excessive
- No discrimination is practiced
- Regular employment is provided
- No harsh or inhumane treatment is allowed

Masterplug is registered with Sedex (Supplier Ethical Data Exchange).

Sedex is a non-profit membership organization dedicated to driving improvements in responsible and ethical business practices in global supply chains.

# USB WALL TAPS

Ideal for home entertainment areas and bedrooms
where more outlets and USB ports are needed.

# 3 Outlet Surge Protected Wall Tap with USB

This wall tap adds extra flexibility by providing 3 outlets and 2 USB ports. Integrated surge protection provides added safety to any attached devices and the built in LED provides a visual indication of protection.

## Features

- 3x 15A rated, 3 pin outlets
- 2x USB ports with a 2.1A rating
- Surge protected to 300 joules
- LED surge protection indicator
- White or black version available

## Product Information

| Part Number | Description | Color | USB Output | Surge Protection |
|---|---|---|---|---|
| SRG30032USB2W-US | 3 outlet, 2 USB wall tap | White | 2.1A | 300 Joules |
| SRG30032USB2B-US | 3 outlet, 2 USB wall tap | Black | 2.1A | 300 Joules |

Box Quantity: 24
Case Quantity: 48

## Weights and Dimensions

| Part Number | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| SRG30032USB2W-US | 4¼" | 1½" | 4½" | 18¾" | 6" | 11¼" | 19½" | 12¾" | 11¾" | 0.22 Lbs | 4.8 Lbs | 11.9 Lbs |
| SRG30032USB2B-US | 4¼" | 1½" | 4½" | 18¾" | 6" | 11¼" | 19½" | 12¾" | 11¾" | 0.22 Lbs | 4.8 Lbs | 11.9 Lbs |

# 6 Outlet Surge Protected Wall Tap with USB

This wall tap adds extra flexibility by providing 6 extra power outlets and 2 USB ports. Integrated surge protection provides added safety to any attached devices with a built in LED providing a visual indication of protection

## Features

- 6x 15A rated, 3 pin outlets
- 2x USB ports with a 2.1A rating
- Surge Protected to 300 joules
- LED Surge Protection and Grounded Indicators
- White or Black versions available

## Product Information

| Part Number | Description | Color | USB Output | Surge Protection |
|---|---|---|---|---|
| SRG30062USB2W-US | 6 outlet, 2 USB wall tap | White | 2.1A | 300 Joules |
| SRG30062USB2B-US | 6 outlet, 2 USB wall tap | Black | 2.1A | 300 Joules |

Box Quantity: 24
Case Quantity: 48

## Weights and Dimensions

| Part Number | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| SRG30062USB2W-US | 5¾" | 1½" | 3½" | 14¼" | 4¾" | 10½" | 10¾" | 10" | 14¼" | 0.35 Lbs | 5.3 Lbs | 11.24 Lbs |
| SRG30062USB2B-US | 5¾" | 1½" | 3½" | 14¼" | 4¾" | 10½" | 10¾" | 10" | 14¼" | 0.35 Lbs | 5.3 Lbs | 11.24 Lbs |

# USB RECEPTACLE & FACEPLATE

Upgrade your receptacle and faceplate by adding USB ports.
Charge all your USB devices directly from the wall.

# 2 Outlet, 2 USB Receptacle

This dual outlet, dual USB receptacle replaces standard outlets. Double 15A, 3 pin outlets power traditional devices while double USB outlets allow for easy charging.

## Features

- Replaces existing outlet
- White Matt Finish
- 2 x 3 pin outlet
- 2x 2.1A rated USB ports



## Product Information

| Part Number | Outlets | USB Ports | Outlet Rating | USB Output | Color |
|---|---|---|---|---|---|
| USBS2G2A-US | 2 | 2 | 15A | 2.1A | White |

Box Quantity: 6
Case Quantity: 48

## Weights and Dimensions

| | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Part Number | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| USBS2G2A-US | 4¾" | 1¾" | 2¾" | 16" | 4¼" | 8½" | 17½" | 15" | 16½" | .26 Lbs | 3.19 Lbs | 20 Lbs |

# CORD REELS

Ideal for use with power tools and portable lighting
in the workshop and on-site.

# Cassette Reel

Using 30ft 16/3-Gauge highly visible green cord, this range of extension reels provides 4 x 120V 10amp outlets, 1200 wattage capacity, LED indicator, power switch and has a built-in overload and a reset button for extra safety.

## Features

- Ideal for use with workshop and outdoor power tools
- Home, yard and light industrial use
- Robust design, with four outlets
- Surge protection
- Right angle plug
- High visibility cord
- 3 year warranty
- Power LED Indicator

## Product Information

| Part Number | Outlets | Length | AWG | AMP | Color |
|---|---|---|---|---|---|
| CMA301116G4SL-US | 4 | 30ft | 16/3 | 10 | Lime Green |

Case Quantity: 5

## Weights and Dimensions

| Part Number | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| CMA301116G4SL-US | 3½" | 9¼" | 9¼" | / | / | / | 15¾" | 10" | 10" | 3.7 Lbs | / | 19.4 Lbs |

# Case Reel

Using 40ft 14/3-Gauge highly visible green cord, this range of extension reels provides 4 x 120V 10amp outlets, 1200 wattage capacity, LED indicator, power switch and has a built-in overload and a reset button for extra safety.

## Features

- Ideal for use with workshop and outdoor power tools
- Home, yard and light industrial use
- Robust design, with four outlets
- Surge protection
- Right angle plug
- High visibility cord
- 3 year warranty
- Wall mount option in the base
- Power LED Indicator



## Product Information

| Part Number | Outlets | Length | AWG | AMP | Color |
|---|---|---|---|---|---|
| HMA401214G4SL-US | 4 | 40ft | 14/3 | 10 | Lime Green |

Case Quantity: 3

## Weights and Dimensions

| | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Part Number | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| HMA401214G4SL-US | 8¾" | 6¾" | 8" | / | / | / | 9¼" | 9" | 20" | 5.86 Lbs | / | 18.3 Lbs |

# Medium Open Reel

Using 60ft 14/3-Gauge highly visible green cord, this range of extension reels provides 4 x 120V 10amp outlets, 1200 wattage capacity, LED indicator, power switch and has a built-in overload and a reset button for extra safety.

## Features

- Ideal for use with workshop and outdoor power tools
- Home, yard and light industrial use
- Robust design, with four outlets
- Surge protection
- Right angle plug
- Cable guide
- High visibility cord
- 3 year warranty
- Power LED Indicator
- Wall mount bracket available

## Product Information

| Part Number | Outlets | Length | AWG | AMP | Color |
|---|---|---|---|---|---|
| OMA601114G4SL-US | 4 | 60ft | 14/3 | 10 | Lime Green |

Case Quantity: 2

## Weights and Dimensions

| | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Part Number | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| OMA601114G4SL-US | 9¾" | 8" | 8¾" | / | / | / | 10½" | 8½" | 18¼" | 9.04 Lbs | / | 19.2 Lbs |

# Large Open Reel

Using 80ft 14/3-Gauge of highly visible green cord, this range of extension reels provides 4 x 120V 10amp outlets, 1200 wattage capacity, LED indicator, power switch and has a built-in overload and a reset button for extra safety.

## Features

- Ideal for use with workshop and outdoor power tools
- Home, yard and light industrial use
- Robust design, with four outlets
- Surge protection
- Right angle plug
- Cable guide
- High visibility cord
- 3 year warranty
- Power LED Indicator
- Wall mount bracket available

## Product Information

| Part Number | Outlets | Length | AWG | AMP | Color |
|---|---|---|---|---|---|
| OLA801114G4SL-US | 4 | 80ft | 14/3 | 10 | Lime Green |

Case Quantity: 1

## Weights and Dimensions

| | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Part Number | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| OLA801114G4SL-US | 11" | 8¼" | 10" | / | / | / | 11½" | 9" | 10¾" | 10.8 Lbs | / | 11.65 Lbs |

# Cord Store

This plastic constructed extension reel allows you to add your own cord for easy storage and transportation, as well as providing additional outlets along with a built-in overload and reset button.

## Features

- For use with workshop and outdoor power tools
- 3 year warranty
- Robust design, with four outlets
- Surge protection
- Cable guide
- High visibility cord
- Power LED Indicator
- Wall mount bracket available

## Product Information

| Part Number | Outlets | Length | AWG | AMP | Color |
|---|---|---|---|---|---|
| OMA031114G4SL-US | 4 | 3ft | 14/3 | 10 | Lime Green |

Case Quantity: 2

## Weights and Dimensions

| Part Number | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| OMA031114G4SL-US | 9¾" | 8" | 8¾" | / | / | / | 10½" | 8½" | 18¾" | 3.96 Lbs | / | 7.93 Lbs |

# Reel Wall Mount -OWHB

Provides convenient wall mount option for Masterplug cable reels.

## Features

• For use with Masterplug cable reels
• 3 year warranty

Case Quantity: 10

# Cord Holder -CHT

This wall mounted cord storage solution keeps your existing extension cords neat and ready-to-go.

## Features

• Home, yard and light commercial use
• 3 year warranty

Case Quantity: 10

## Weights and Dimensions

| Part Number | Product Dimensions | | | Inner Box Dimensions | | | Outer Case Dimensions | | | Weight | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Height | Width | Depth | Height | Width | Depth | Height | Width | Depth | Packed Product | Inner | Outer |
| CHT-US | 5¾" | 3¼" | 5¼" | / | / | / | 6¼" | 10¼" | 19¾" | 0.37 Lbs | / | 5.95 Lbs |
| OWHB-US | 1¾" | 2½" | 4" | / | / | / | 6½" | 7¼" | 12½" | 0.15 Lbs | / | 2.86 Lbs |

# LED WORK LIGHTS

Versatile all-weather LED luminaires for a variety of applications.

# Slimline Portable Work Light

Lightweight and sturdy portable LED work light ideal for light commercial use, DIY tasks and hobbies.

## Features

- Low maintenance
- Weatherproof power switch
- Lightweight frame with soft grip handle
- Supplied with 15A 120V US plug
- Sturdy steel stand, die-cast housing with tempered glass
- 6' of SJTW cord provided
- Lights stay cool for added safety
- UL listed for outdoor use

## Product Information

| Part Number | Lumens | Wattage | Equivalent Wattage | Color Temperature | Beam Angle | Lifetime | Color |
|---|---|---|---|---|---|---|---|
| LSW10BY2-US | 600 | 10W | 100W | 5000K | 95° | 30,000hrs | Yellow |
| LSW20BY2-US | 1200 | 20W | 150W | 5000K | 95° | 30,000hrs | Yellow |
| LSW30BY2-US | 1800 | 30W | 200W | 5000K | 95° | 30,000hrs | Yellow |
| LSW40BY2-US | 2400 | 40W | 250W | 5000K | 95° | 30,000hrs | Yellow |

Case Quantity: 10

# Slimline Rechargeable Work Light

Lightweight and sturdy rechargeable LED work light ideal for a variety of household applications and emergency situations such as a breakdown. It is supplied with an 1.8A USB charging output and a weatherproof switch.

## Features

- 500 charge cycles
- Supplied with USB lead (USB to Micro USB) & car charger
- Lights stay cool for added safety
- UL listed for outdoor use



## Product Information

| Part Number | Lumens | Wattage | Equivalent Wattage | Color Temperature | Beam Angle | Lifetime | Color |
|---|---|---|---|---|---|---|---|
| LSWR10BR-US | 750 | 10W | 100W | 5000K | 95° | 30,000hrs | Yellow |

Case Quantity: 5

# Slimline Tripod Work Lights

Lightweight and sturdy LED Tripod ideal for DIY tasks and hobbies.

## Features

- Low maintenance
- Each flood light has an independent power switch
- Lightweight frame
- Supplied with 15A 120V plug
- Sturdy steel stand, die-cast housing with tempered glass
- 9' of SJTW cord provided
- Lights stay cool for added safety
- UL listed for outdoor use

## Product Information

| Part Number | Lumens | Wattage | Equivalent Wattage | Color Temperature | Beam Angle | Lifetime | Color |
|---|---|---|---|---|---|---|---|
| LSWT210BY3-US | 2x 600 | 2x 10W | 2x 100W | 5000K | 95° | 30,000hrs | Yellow |
| LSWT220BY3-US | 2x 1200 | 2x 20W | 2x 150W | 5000K | 95° | 30,000hrs | Yellow |
| LSWT230BY3-US | 2x 1800 | 2x 30W | 2x 200W | 5000K | 95° | 30,000hrs | Yellow |

Case Quantity: 2

## North America Sales

**Luceco Inc**

Tel. +1 281 978-2509
Email: us_sales@luceco.com

11050 W Little York Rd
Building C-1
Houston, TX 77041

## Head Office

**Luceco Ltd.**

Email: uk_sales@luceco.uk

Caparo House,
103 Baker St, London,
United Kingdom, W1U 6LN

**Technical Support**

Tel: +1 800 645-6460
Email: usatechnicalsupport@luceco.com



# www.masterplug.com/us